



NAVARA SINGLE CAB



A PICKUP BUILT OF MORE AND READY TO WORK



ELECTRONIC BRAKE
FORCE DISTRIBUTION
(EBD) WITH
BRAKING ASSIST (BA)



VEHICLE DYNAMIC
CONTROL (VDC)*



TRAILER STABILITY
ASSIST (TSA)*



Durability meets Practicality

The all-capable Nissan Navara Single Cab range is an evolutionary leap forward in workhorse pickup standards. Expect dynamic styling, ergonomic interior conveniences, comfort and driver safety technology in a package that proudly delivers on the legacy of more than 85 years of proven LCV heritage, in Africa.



THE POWER TO KEEP MOVING FORWARD

Africa-proven Navara diesel engines have been tried and tested to offer maximum performance and durability, whilst maintaining efficient running costs and legendary reliability you can trust.



BUILT FOR AFRICA. BUILT TO DO MORE.

With structural durability improvements made for the toughest working conditions, the Navara Single Cab range boasts high tensile steel body construction with additional reinforcements throughout. Suspension and chassis have been locally tested to exceed the demands of the harshest African road conditions.



BEST IN-CLASS LOADING CAPACITY

Nissan Navara Single Cabs arrive ready to work with a world class load capacity of up to 1155KG*. Then, unique side steps add every day practicality for easy load box access.



GO WHEREVER THE WORK TAKES YOU

Easily shift from 2WD to 4WD without stopping thanks to the Navara's On The Fly 4x4 system.* Maintain complete confidence with Hill Descent Control (HDC)* while Hill Start Assist (HSA)* ensures a flawless pull away every time.



SAFETY AND SECURITY AS A PRIORITY

Navara Single Cabs offer driver and passenger airbags as standard, with additional side curtain and driver knee airbags for additional protection.*

*AVAILABLE ON SELECTED SINGLE CAB MODELS. PLEASE CONTACT YOUR LOCAL NISSAN DEALERSHIP FOR MORE INFORMATION.

MODEL - Single Cab		2.5D XE 4X4 MT	2.5D XE Plus 4X4 MT
ENGINE			
Engine		2.5D Mid Output	2.5D Mid Output
Displacement	cc	2488	2488
Number of cylinders		4	4
Bore and stroke	mm	89.0 x 100.0	89.0 x 100.0
Maximum power	kW/rpm	120/3600	140/3600
Maximum torque	Nm/rpm	403/2000	450/2000
Fuel type		Diesel	Diesel
Fuel supply:		Common Rail Direct Injection	Common Rail Direct Injection
Fuel tank capacity	ℓ	80	80
Fuel consumption (combined cycle)	ℓ/100km	7,6	7,6
CO2 emission (combined cycle)	g/km	201	201
TRANSMISSION & DRIVE TRAIN			
Transmission		6-Speed Manual	6-Speed Manual
Gear Ratio	1st	4,685	4,685
Gear Ratio	2nd	2,478	2,478
Gear Ratio	3rd	1,623	1,623
Gear Ratio	4th	1,207	1,207
Gear Ratio	5th	1,000	1,000
Gear Ratio	6th	0,808	0,808
Gear Ratio	Reverse	4,709	4,709
Gear Ratio	Final drive	3,538	3,538
Driven Wheels		4WD	4WD
SUSPENSION			
Front Suspension		Independent Double-Wishbone + Stabiliser	Independent Double-Wishbone + Stabiliser
Rear Suspension		Leaf Spring	Leaf Spring
WEIGHTS & CAPACITY			
Gross Combination Mass (Gcm)	Kg	6130	6130
Gross Vehicle Mass (Gvm)	Kg	3000	3000
Tare Mass	Kg	1803	1803
Min Kerb Weight	Kg	1885	1885
Max Kerb Weight	Kg	1906	1906
Payload	Kg	1152	1152
Gross Axle Mass (Front - Laden)	Kg	1320	1320
Gross Axle Mass (Rear - Laden)	Kg	1785	1785
Maximum Towing Capacity Unbraked	Kg	750	750
Maximum Towing Capacity Braked	Kg	3500	3500
DIMENSIONS			
Overall Length	mm	5235	5335
Overall Width (Excluding Mirrors)	mm	1790	1790
Overall Height	mm	1760	1760

MODEL - Single Cab		2.5D XE 4X4 MT	2.5D XE Plus 4X4 MT
DIMENSIONS (CONTINUED)			
Wheelbase	mm	3150	3150
Ground Clearance	mm	214	214
Front Track	mm	1550	1550
Rear Track	mm	1550	1550
Front Overhang	mm	885	885
Rear Overhang	mm	1200	1200
Turning Circle (Kerb To Kerb)	m	6,0	6,0
Approach Angle	Degrees	31,8	31,8
Departure Angle	Degrees	26,3	26,3
Ramp Break-Over Angle	Degrees	22,8	22,8
Load Box Length - Floor	mm	2353	2353
Load Box Length - Top	mm	2311	2311
Load Box Width - Floor	mm	1560	1560
Load Box Width - Top	mm	1552	1552
Load Box Width - Between Wheel Arches	mm	1134	1134
Load Box Width - Tailgate Opening	mm	1360	1360
Load Box Height	mm	472	472
Wading Depth	mm	600	600
WHEELS & TYRES			
Wheel Size and Type		16" Steel	16" Steel
Tyre		205/ R16 AT	205/ R16 AT
Spare Wheel		Full size steel	Full size steel
Spare Wheel Lock		Option	Option
EXTERIOR			
Grill		Black	Black
Front Bumper		Black	Black
Side-Door Mirror Finish		Black	Black
Side-Door Mirrors		Manual Adjustment + Fold	Power Adjustmt + Manual Fold
External Door Handles		Black	Black
Front and Rear Mud Flaps		Std	Std
Front Towing Hook		Std	Std
Headlights		Halogen	Halogen
Fog Lights		-	Halogen
COMFORT & CONVENIENCE			
SEATING CAPACITY		2	2
FRONT SEAT TYPE		Separate seat	Separate seat
DRIVER SEAT ADJUSTMENT		4-way Manual	6-way Manual
PASSENGER SEAT ADJUSTMENT		2-way Manual	4-way Manual
SEAT UPHOLSTERY		PVC	Fabric
FLOOR MATERIAL		Carpet	Carpet

MODEL - Single Cab		2.5D XE 4X4 MT	2.5D XE Plus 4X4 MT
COMFORT & CONVENIENCE (CONTINUED)			
Front Cup Holders		2	2
Front Door Storage Pockets and Bottle Holder		2	2
Sunglass Holder		-	-
12v Outlet Inside Cabin		1	2
Usb Port		-	-
Air-Conditioning		Std	Std
Power Windows with Driver Auto Up/ Down Button		Std	Std
Rear Screen		Fixed	Fixed
Central Locking		Std	Std
Speed Sensing Auto Door Lock		Std	Std
Manual Dimming Rear View Mirror		Std	Std
AUDIO & CONNECTIVITY			
Without Audio Head Unit (With Pre-Wire)		Std	Std
SAFETY & SECURITY			
Driver And Front Passenger Airbags		Std	Std
Side Airbags		-	Std
Curtain Airbags		-	Std
Driver Knee Airbag		-	Std
Front Seat Belts 3-Point Elr With Pre-Tensioner, Load Limiter And Seatbelt Reminder		Std	Std
Isofix Child Seat Anchorage		-	-
Immobiliser		Std	Std
Alarm		-	-
Anti-Lock Braking System (ABS)		Std	Std
Electronic Brake Force Distribution (EBD)		Std	Std
Brake Assist (BA)		Std	Std
Vehicle Dynamic Control (VDC)		-	Std
Trailer Stability Assist (TSA)		-	Std
Hill Start Assist (HSA)		-	Std
Hill Descent Control (HDC)		-	Std
Front Brakes - Ventilated Discs		Std	Std
Rear Brakes - Drum		Std	Std
Windscreen Wipers		Variable Intermittent	Variable Intermittent

MODEL - Single Cab		2.5D XE 4X2 MT	2.5D XE Plus 4X2 MT
ENGINE			
Engine		2.5D Mid Output	2.5D Mid Output
Displacement	cc	2488	2488
Number of cylinders		4	4
Bore and stroke	mm	89.0 x 100.0	89.0 x 100.0
Maximum power	kW/rpm	120/3600	120/3600
Maximum torque	Nm/rpm	403/2000	403/2000
Fuel type		Diesel	Diesel
Fuel supply:		Common rail direct injection	Common rail direct injection
Fuel tank capacity	ℓ	80	80
Fuel consumption (combined cycle)	ℓ/100km	7,2	7,2
CO2 emission (combined cycle)	g/km	190	190
TRANSMISSION & DRIVE TRAIN			
Transmission		6-Speed Manual	6-Speed Manual
Gear Ratio	1st	4,685	4,685
Gear Ratio	2nd	2,478	2,478
Gear Ratio	3rd	1,623	1,623
Gear Ratio	4th	1,207	1,207
Gear Ratio	5th	1,000	1,000
Gear Ratio	6th	0,808	0,808
Gear Ratio	Reverse	4,709	4,709
Gear Ratio	Final drive	3,538	3,538
Driven Wheels		2WD	2WD
SUSPENSION			
Front Suspension		Independent Double-Wishbone + Stabiliser	Independent Double-Wishbone + Stabiliser
Rear Suspension		Leaf Spring	Leaf Spring
WEIGHTS & CAPACITY			
Gross Combination Mass (Gcm)	Kg	6130	6130
Gross Vehicle Mass (Gvm)	Kg	2950	2950
Tare Mass	Kg	1714	1714
Min Kerb Weight	Kg	1801	1801
Max Kerb Weight	Kg	1822	1822
Payload	Kg	1182	1182
Gross Axle Mass (Front - Laden)	Kg	1320	1320
Gross Axle Mass (Rear - Laden)	Kg	1785	1785
Maximum Towing Capacity Unbraked	Kg	750	750
Maximum Towing Capacity Braked	Kg	3500	3500
DIMENSIONS			
Overall Length	mm	5235	5235
Overall Width (Excluding Mirrors)	mm	1790	1790

Nissan Navara - 2 Wheel Drive

Specifications & Features

Nissan Navara - 2 Wheel Drive

Specifications & Features

MODEL - Single Cab		2.5D XE 4X2 MT	2.5D XE Plus 4X2 MT
DIMENSIONS (CONTINUED)			
Overall Height	mm	1755	1755
Wheelbase	mm	3150	3150
Ground Clearance	mm	214	214
Front Track	mm	1550	1550
Rear Track	mm	1550	1550
Front Overhang	mm	885	885
Rear Overhang	mm	1200	1200
Turning Circle (Kerb To Kerb)	m	6,0	6,0
Approach Angle	Degrees	30,7	30,7
Departure Angle	Degrees	26,6	26,6
Ramp Break-Over Angle	Degrees	22,2	22,2
Load Box Length - Floor	mm	2353	2353
Load Box Length - Top	mm	2311	2311
Load Box Width - Floor	mm	1560	1560
Load Box Width - Top	mm	1552	1552
Load Box Width - Between Wheel Arches	mm	1134	1134
Load Box Width - Tailgate Opening	mm	1360	1360
Load Box Height	mm	472	472
Wading Depth	mm	600	600
WHEELS & TYRES			
Wheel Size and Type		16" Steel	16" Steel
Tyre		205/ R16 AT	205/ R16 AT
Spare Wheel		Full size steel	Full size steel
Spare Wheel Lock		Option	Option
EXTERIOR			
Grill		Black	Black
Front Bumper		Black	Black
Side-Door Mirror Finish		Black	Black
Side-Door Mirrors		Manual Adjustment + Fold	Power Adjustment + Fold
External Door Handles		Black	Black
Front and Rear Mud Flaps		Std	Std
Front Towing Hook		Std	Std
Headlights		Halogen	Halogen
Fog Lights		-	-
COMFORT & CONVENIENCE			
SEATING CAPACITY		2	2
FRONT SEAT TYPE		Separate seat	Separate seat
DRIVER SEAT ADJUSTMENT		4-way Manual	6-way Manual
PASSENGER SEAT ADJUSTMENT		2-way Manual	4-way Manual
SEAT UPHOLSTERY		PVC	Fabric
FLOOR MATERIAL		Carpet	Carpet

MODEL - Single Cab		2.5D XE 4X2 MT	2.5D XE Plus 4X2 MT
COMFORT & CONVENIENCE (CONTINUED)			
Front Cup Holders		2	2
Front Door Storage Pockets and Bottle Holder		2	2
Sunglass Holder		-	-
12v Outlet Inside Cabin		1	2
Usb Port		-	-
Air-Conditioning		Std	Std
Power Windows with Driver Auto Up/ Down Button		Std	Std
Rear Screen		Fixed	Fixed
Central Locking		Std	Std
Speed Sensing Auto Door Lock		Std	Std
Manual Dimming Rear View Mirror		Std	Std
AUDIO & CONNECTIVITY			
Without Audio Head Unit (With Pre-Wire)		Std	Std
SAFETY & SECURITY			
Driver And Front Passenger Airbags		Std	Std
Side Airbags		-	Std
Curtain Airbags		-	Std
Driver Knee Airbag		-	Std
Front Seat Belts 3-Point Elr With Pre-Tensioner, Load Limiter And Seatbelt Reminder		Std	Std
Isofix Child Seat Anchorage		-	-
Immobiliser		Std	Std
Alarm		-	-
Anti-Lock Braking System (ABS)		Std	Std
Electronic Brake Force Distribution (EBD)		Std	Std
Brake Assist (BA)		Std	Std
Vehicle Dynamic Control (VDC)		-	Std
Trailer Stability Assist (TSA)		-	Std
Hill Start Assist (HSA)		-	Std
Hill Descent Control (HDC)		-	-
Front Brakes - Ventilated Discs		Std	Std
Rear Brakes - Drum		Std	Std
Windscreen Wipers		Variable Intermittent	Variable Intermittent

FEATURES AND SPECIFICATIONS ARE SUBJECT TO CHANGE DEPENDING ON MARKET AND GRADE. PLEASE CONSULT YOUR LOCAL NISSAN DEALERSHIP FOR MORE INFORMATION.

